

● **CSCI 2033** ● **Spring 2018** ●

## **ELEMENTARY COMPUTATIONAL LINEAR ALGEBRA**

**Class time** : MWF 10:10-11:00am

**Room** : Blegen Hall 10

**Instructor** : Yousef Saad

**URL** : [www-users.cselabs.umn.edu/classes/Spring-2018/csci2033-morning/](http://www-users.cselabs.umn.edu/classes/Spring-2018/csci2033-morning/)

**January 16, 2018**



## *What you will learn and why*

- Course is about “Basics of Numerical Linear Algebra”, a.k.a. “matrix computations”
- Topic becoming increasingly important in Computer Science.
- Many courses require some linear algebra
- Course introduced in 2011 to fill a gap.
- In the era of ‘big-data’ you need 1) statistics and 2) linear algebra

➤ CSCI courses where csci2033 plays an essential role:

- CSCI 5302 – Analysis Num Algs \*
- CSCI 5304 – Matrix Theory \*
- CSCI 5607 – Computer Graphics I \*
- CSCI 5512 – Artif Intelligence II
- CSCI 5521 – Intro to Machine Learning \*
- CSCI 5551 – Robotics \*
- CSCI 5525 – Machine Learning
- CSCI 5451 – Intro Parall Comput

\* = csci2033 prerequisite for this course

- Courses for which csci2033 can be helpful
  - CSCI 5221 – Foundations of Adv Networking
  - CSCI 5552 – Sensing/Estimation in Robotics
  - CSCI 5561 – Computer Vision
  - CSCI 5608 – Computer Graphics II
  - CSCI 5619 – VR and 3D Interaction
  - CSCI 5231 – Wireless and Sensor Networks
  - CSCI 5481 – Computational Techs. Genomics

# *Objectives of this course*

## *Set 1* Fundamentals of linear algebra

- Vector spaces, matrices, – [theoretical]
- Understanding bases, ranks, linear independence -
- Improve mathematical reasoning skills [proofs]


## *set 2* Computational linear algebra

- Understanding common computational problems
- Solving linear systems
- Get a working knowledge of matlab
- Understanding computational complexity

## *Set 3* Linear algebra in applications

- See how numerical linear algebra arises in a few computer science -related applications.

# The road ahead: Plan in a nutshell





## *Math classes*

➤ Students who already have had Math 2243 or 2373 (Linear Algebra and Differential Equations) or a similar version of a linear algebra course :

There is a good overlap with this course [about 40-50%] - but the courses are different..

You may be able to substitute 2033 for something else (by adding a course) – See:

<https://www.cs.umn.edu/academics/undergraduate/guide/cs-requirements/acceptable-substitutes>

➤ or UG adviser if you are in this situation.

## *Logistics:*

➤ We will use Moodle only to post grades

➤ Main class web-site is :

`www-users.cselabs.umn.edu/classes/Spring-2018/  
csci2033-morning/`

➤ There you will find :

- Lecture notes
- Homeworks [and solutions]
- Additional exercises [do before indicated class]
- .. and more

## *Three Recitation Sections:*

sec 002 – which we will call *Sec. 2* - 10:10–11:00am


sec 003 – which we will call *Sec. 3* - 11:15–12:05pm

sec 004 – which we will call *Sec. 4* - 12:20–1:10pm

➤ All in Amundson Hall 240

...

## *About lecture notes:*

- Lecture notes will be posted on the class web-site – usually before the lecture. [if I am late do not hesitate to send me e-mail]
- Review them and try to get some understanding if possible before class.
- Read the relevant section (s) in the text
- Lecture note sets are grouped by topics (sections in the textbook) rather than by lecture.
- In the notes the symbol  indicates suggested easy exercises or questions – often [not always] done in class.

## *In-class Practice Exercises*

- Posted in advance – see HWs web-page
- You should do them before class (!Important). No need to turn in anything. But...
- ... beware that quizzes could be quite similar
- I will often start the class with these practice exercises
- The quizzes are like short mid-terms. There will be 8 of them [20mn each]

## Matlab

- You will need to use matlab for testing algorithms.
- Limited lecture notes on matlab +
- Other documents will be posted in the matlab web-site.
- Most important:
- .. I post the matlab **diaries** used for the demos (if any).
- First few recitations will cover tutorials on matlab

● If you do not know matlab at all and have difficulties with it see me or one of the TAs at office hours. This ought to help get you started.

## *One final point on lecture notes*

- These notes are 'evolving'. You can help make them better – report errors and provide feedback.
- There will be much more going on in the classroom - so the notes are not enough for studying! Sometimes they are used as a summary.
- Recommendation: start with lecture notes - then study relevant parts in text.
- There are a few topics that are not covered well in the text (e.g., complexity). Rely on lectures and the notes (when available) for these.

## *Introduction. Math Background*

- We will often need proofs in this class.
- A proof is a logical argument to show that a given statement is true
- One of the stated goals of csci2033 is to improve mathematical reasoning skills
- You should be able to prove simple statements
- Here are the most common types of proofs



## *Proof by contradiction:*

Idea: prove that the contrary of the statement implies an impossible ('absurd') conclusion

### *Example:*

 Show that  $\sqrt{2}$  is not a rational number [famous proof dating back to Pythagoras]

**Proof:** Assume the contrary is true. Then  $\sqrt{2} = p/q$ . If  $p$  and  $q$  can be divided by the same integer divide them both by this integer. Now  $p$  and  $q$  cannot be both even. The equality  $\sqrt{2} = p/q$  implies  $p^2 = 2q^2$ . This means  $p^2$  is even. However  $p$  is also even because the square of an odd number is odd. We now write  $p = 2k$ . Then  $4k^2 = 2q^2$ . Hence  $q^2 = 2k^2$  and so  $q$  is also even. Contradiction.



## Proof by induction

Problem: to prove that a certain property  $P_n$  is true for all  $n$ .

Method:

(a) Base: Show that  $P_{init}$  is true

(b) Induction Hypothesis: Assume that  $P_n$  is true for some  $n$  ( $n \geq init$ ). With this assumption prove that  $P_{n+1}$  is true..

➤ Important point: A big part of the proof is to clearly state  $P_n$

**Example:** Show that  $1 + 2 + 3 + \dots + n = n(n + 1)/2$

 [Challenge] Show:

$$1^2 + 2^2 + \dots + n^2 = \frac{n(n+1)(2n+1)}{6}$$

*By counter-example* [to prove a statement is not true]

*Example:* All students in MN are above average.


*Proof by construction* (constructive proof)

The statement is that some object exists. We need to construct this object.

*By a purely logical argument*

*Example:*

➤ Pythagoras' theorem from a purely geometric argument



Behold!

 Show that for two sets  $A, B$  we have  $\overline{A \cup B} = \overline{A} \cap \overline{B}$

## *A few terms/symbols used*

$x \in X$   $x$  belongs to set  $X$

$\forall x$  for all  $x$

$\sum_{i=1}^n$  Summation from  $i = 1$  to  $i = n$

$A \rightarrow B$  Assertion  $A$  implies assertion  $B$

$A \text{ iff } B$   $A$  is true if and only if  $B$  is true [i.e.,  $A \rightarrow B$  and  $B \rightarrow A$ ]

- Greek letters  $\alpha$ ,  $\beta$ ,  $\gamma$ , ... represent scalars
- Lower case latin letters  $u$ ,  $v$ , ... often represent vectors
- Upper case letters  $A$ ,  $B$ , .. often represent matrices
- More will be introduced on the way

## Algorithms - complexity

➤ Not emphasized in text

 Find (google) the origin of the word 'Algorithm'

An algorithm is a sequence of instructions given to a machine (typically a computer) to solve a given problem

**An example:** Finding the square root of a number.


Method: calculate

$$x_{new} = 0.5 \left( x_{old} + \frac{a}{x_{old}} \right)$$

... until  $x_{new}$  no longer changes much. Start with  $x = a$

- There are different ways of implementing this
- Some ways may be more 'economical' than others
- Some ways will lead to more numerical errors than others [not in this particular case]

```
xn = a;  
while(abs(xn*xn - a) > 1.e-06 * a)  
    xn = 0.5*(xn+a/xn)  
end
```

 Try this for  $a = 5$ . How many steps are needed? What is the total number of operations (+, \*, /)?

## *The issue of cost ('complexity')*

- For small problems cost may not be important - except when the operation is repeated many times.
- For systems of equations in the thousands, then the algorithm could make a huge difference.

## *What to count?*

- Memory copy / move.
- Comparisons of numbers (integers, floating-points)
- Floating point operations: add, multiply, divide (more expensive)
- Intrinsic functions:  $\sin$ ,  $\cos$ ,  $exp$ ,  $\sqrt{\quad}$ , etc.. a few times more expensive than add/ multiply.

**Example:** Assume we have 4 algorithms whose costs (number of operations) are  $\frac{n^3}{6}$ ,  $\frac{n^2}{2}$ ,  $n \log_2 n$ , and  $n$  respectively, where  $n$  is the 'size' of the problem. Compare the times for the 4 algorithms to execute when  $n = 1000$

**Answer:** [assume one operation costs  $1 \mu sec$ ]

$$\frac{n^3}{6} \rightarrow \frac{10^9}{6} \mu sec = \frac{1000}{6} sec \approx 2.78mn$$

$$\frac{n^2}{2} \rightarrow \frac{10^6}{2} \mu sec \approx \frac{1}{2} sec.$$

$$n \log n \rightarrow 10^3 \log n \mu sec \approx 10^3 \times 10 \mu sec = 10ms$$

$$n \rightarrow 1 ms.$$



➤ In matrix computations (this course) we only count floating point operations:  $(*, +, /)$



- Cost = number of operations to complete a given algorithm = function of  $n$  the problem size
- Will find something like [example]

$$C(n) = 2n^3 + 6n^2 + 3n$$

- We are interested in cases with large values of  $n$
- Major point: only the leading term  $2n^3$  matters - because the rest is small (**relatively** to  $2n^3$ ) when  $n$  is large.
- We will say that the cost is of order  $2n^3$  or even order  $n^3$  [meaning that it increases like the cube of  $n$  as  $n$  increases]

-  Compare  $C(100)$ ,  $C(200)$  and  $8C(100)$ . Explain
-  Suppose it takes 1 sec. run the algorithm for a certain value of  $n$  (large), how long would it take to run the same algorithm on a problem of size  $2n$ ?

# LINEAR EQATIONS [1.1] +

## Linear systems

- A **linear equation** in the variables  $x_1, \dots, x_n$  is an equation that can be written in the form

$$a_1x_1 + a_2x_2 + \dots + a_nx_n = b,$$

- $b$  and the coefficients  $a_1, \dots, a_n$  are known real or complex numbers.

**Example:**  $x_1 + 2x_2 = -1$

- In the above equation  $x_1$  and  $x_2$  are the **unknowns** or **variables**. The equation is satisfied when  $x_1 = 1, x_2 = -1$ .
- It is also satisfied for  $x_1 = -3, x_2 = ?$

- A **system** of linear equations (or a linear system) is a collection of one or more linear equations involving the same variables – say,  $x_1, \dots, x_n$ .
- A **solution** of the system is a list  $(s_1, s_2, \dots, s_n)$  of values for  $x_1, x_2, \dots, x_n$ , respectively, which make the equations satisfied.

**Example:** Here is a system involving 2 unknowns:

$$\begin{cases} 2x_1 + x_2 = 4 \\ -x_1 + 2x_2 = 3 \end{cases}$$

- The values  $x_1 = 1, x_2 = 2$  satisfy the system of equations.  $s_1 = 1, s_2 = 2$  is a solution.
- The equation  $2x_1 + x_2 = 4$  represents a line in the plane.  $-x_1 + 2x_2 = 3$  represents another line. The solution represents the point where the two lines intersect.

### *Example:*

Three winners of a competition labeled  $G$ ,  $S$ ,  $B$  (for gold, silver, bronze) are to share as a prize 30 coins. The conditions are that 1)  $G$ 's share of the coins should equal the shares of  $S$  and  $B$  combined and 2) The difference between the shares of  $G$  and  $S$  equals the difference between the shares of  $S$  and  $B$ .

- How many coins should each of  $G$ ,  $S$ ,  $B$  receive?
- Should formulate as a system of equations:
  - 3 conditions  $\rightarrow$  result will be 3 equations
  - 3 unknowns ( $\neq$  coins for each of winner)

➤ Let  $\begin{cases} x_1 = \text{number of coins to be won by } G, \\ x_2 = \text{number of coins to be won by } S, \text{ and} \\ x_3 = \text{number of coins to be won by } B \end{cases}$

➤ The conditions give us 3 equations which are:

- 1) Total number of coins = 30
- 2) G's share = sum of S and B
- 3) differences G - S same as S - B

$$\begin{cases} x_1 + x_2 + x_3 = 30 \\ x_1 = x_2 + x_3 \\ x_1 - x_2 = x_2 - x_3 \end{cases}$$

*System of equations:*

$$\begin{cases} x_1 + x_2 + x_3 = 30 \\ x_1 - x_2 - x_3 = 0 \\ x_1 - 2x_2 + x_3 = 0 \end{cases}$$

- We will see later how to solve this system
- The set  $s_1 = 15, s_2 = 10, s_3 = 5$  is a solution
- It is the only solution

- The set of all possible solutions is called the **solution set** of the linear system.
  - Two linear systems are called **equivalent** if they have the same solution set.
- 

- A system of linear equations can have:
    1. no solution, or
    2. exactly one solution, or
    3. infinitely many solutions.
- 

[The above result will be seen in detail later in this class]


**Definition:** A system of linear equations is said to be **inconsistent** if it has no solution (Case 1 above). It is **consistent** if it has at least one solution (Case 2 or Case 3 above).



**Example:**

Consider the following three systems of equations:


$$\begin{cases} x_1 - x_2 = 1 \\ x_1 + 2x_2 = 4 \end{cases}$$



Exactly one solution

*Consistent*


$$\begin{cases} x_1 - x_2 = 1 \\ -2x_1 + 2x_2 = 2 \end{cases}$$



No solution

*Inconsistent*

$$\begin{cases} x_1 - x_2 = 1 \\ -2x_1 + 2x_2 = -2 \end{cases}$$



Infinitely many solutions

*Consistent*

## Matrix Notation

➤ The essential information of a linear system is recorded compactly in a rectangular array called a **matrix**.

➤ For the following system of equations:

$$\begin{cases} x_1 + x_2 + x_3 = 30 \\ x_1 - x_2 - x_3 = 0 \\ x_1 - 2x_2 + x_3 = 0 \end{cases}$$

The array to the right is called the **coefficient matrix** of the system:

$$\begin{bmatrix} 1 & 1 & 1 \\ 1 & -1 & -1 \\ 1 & -2 & 1 \end{bmatrix}$$

And the **right-hand side** is:

$$\begin{bmatrix} 30 \\ 0 \\ 0 \end{bmatrix}$$

➤ An **augmented matrix** of a system consists of the coefficient matrix with the R.H.S. added as a last column

➤ Note: R.H.S. or RHS = short for right-hand side column.

- For the above system the augmented matrix is

$$\begin{array}{ccc|c} 1 & 1 & 1 & 30 \\ 1 & -1 & -1 & 0 \\ 1 & -2 & 1 & 0 \end{array} \quad \text{or} \quad \begin{bmatrix} 1 & 1 & 1 & 30 \\ 1 & -1 & -1 & 0 \\ 1 & -2 & 1 & 0 \end{bmatrix}$$

- You can think of the array on the left as the set of 3 “rows” each representing an equation:

$$\begin{array}{cccc} x_1 & x_2 & x_3 & b_1 \\ \hline 1 & 1 & 1 & 30 \end{array} \quad \begin{array}{cccc} x_1 & x_2 & x_3 & b_2 \\ \hline 1 & -1 & -1 & 0 \end{array} \quad \begin{array}{cccc} x_1 & x_2 & x_3 & b_3 \\ \hline 1 & -2 & 1 & 0 \end{array}$$

- To solve systems of equations we manipulate these “rows” to get **equivalent** equations that are easier to solve.

 Can we add two equations/rows? Add equations 1 and 2. What do you get?

 Now add equations 2 and 3. What do you get? Can you compute  $x_2$ ?

 Finally obtain  $x_3$

➤ This shows an “ad-hoc” [intuitive] way of manipulating equations to solve the system.

➤ **Gaussian Elimination** [coming shortly] shows a systematic way

➤ Basic Strategy: replace a system with an equivalent system (i.e., one with the same solution set) that is easier to solve.

## Terminology on matrices

- An  $m \times n$  matrix is a rectangular array of numbers with  $m$  rows and  $n$  columns. We say that  $A$  is of size  $m \times n$  (The number of rows always comes first.)
- In matlab:  $[m, n] = \text{size}(A)$  returns the size of  $A$
- If  $m = n$  the matrix is said to be **square** otherwise it is **rectangular**
- The case when  $n = 1$  is a special case where the matrix consists of just one column. The matrix then becomes a **vector** and this will be revisited later. The right-hand side column is one such vector.
- Thus a linear system consists of a coefficient matrix  $A$  and a right-hand side vector  $b$ .

## Equivalent systems

We do not change the solution set of a linear system if we

- \* **Permute** two equations
  - \* **Multiply** a whole equation by a nonzero scalar
  - \* **Add** an equation to another.
- Text: Two systems are **row-equivalent** if one is obtained from the other by a succession of the above operations
- **Eliminating** an unknown consists of combining rows so that the coefficients for that unknown in the equations become zero.
- Gaussian Elimination: performs **eliminations** to reduce the system to a “**triangular form**”

*	*	*	*	*
0	*	*	*	*
0	0	*	*	*
0	0	0	*	*

## Triangular linear systems are easy to solve

**Example:**

$$\begin{cases} 2x_1 + 4x_2 + 4x_3 = 2 \\ 5x_2 - 2x_3 = 1 \\ 2x_3 = 4 \end{cases} \quad \begin{array}{ccc|c} 2 & 4 & 4 & 2 \\ 0 & 5 & -2 & 1 \\ 0 & 0 & 2 & 4 \end{array}$$

➤ One equation can be trivially solved: the last one.

$$x_3 = 2$$

➤  $x_3$  is known we can now solve the 2nd equation:

$$5x_2 - 2x_3 = 1 \rightarrow 5x_2 - 2 \times 2 = 1 \rightarrow x_2 = 1$$

➤ Finally  $x_1$  can be determined similarly:

$$2x_1 + 4 \times 1 + 4 \times 2 = 2 \rightarrow \dots \rightarrow x_1 = -5$$

## Triangular linear systems - Algorithm

- Upper triangular system of size  $n$

### ALGORITHM : 1. *Back-Substitution algorithm*

---

```
For  $i = n : -1 : 1$  do:  
   $t := b_i$   
  For  $j = i + 1 : n$  do  
     $t := t - a_{ij}x_j$   
  End  
   $x_i = t/a_{ii}$   
End
```

- We must require that each  $a_{ii} \neq 0$



$x_1$	$x_2$	$x_2$	$x_4$	$x_5$	$b$
$a_{11}$	$a_{12}$	$a_{13}$	$a_{14}$	$a_{15}$	$b_1$
	$a_{22}$	$a_{23}$	$a_{24}$	$a_{25}$	$b_2$
		$a_{33}$	$a_{34}$	$a_{35}$	$b_3$
			$a_{44}$	$a_{45}$	$b_4$
				$a_{55}$	$b_5$

$$i = 5 \quad x_5 = b_5 / a_{55}$$

$$i = 4 \quad x_4 = [b_4 - a_{45}x_5] / a_{44}$$




$$i = 3 \quad x_3 = [b_3 - a_{34}x_4 - a_{35}x_5] / a_{33}$$

$$i = 2 \quad x_2 = [b_2 - a_{23}x_3 - a_{24}x_4 - a_{25}x_5] / a_{22}$$

$$i = 1 \quad x_1 = [b_1 - a_{12}x_2 - a_{13}x_3 - a_{14}x_4 - a_{15}x_5] / a_{11}$$

► For example, when  $i = 3$ ,  $x_4$ ,  $x_5$  are already known, so

$$a_{33}x_3 + \underbrace{a_{34}x_4 + a_{35}x_5}_{\text{known}} = b_3 \rightarrow x_3 = \frac{b_3 - a_{34}x_4 - a_{35}x_5}{a_{33}}$$

-  Write a matlab version of the algorithm
-  Cost: How many operations ( $+$ ,  $*$ ,  $/$ ) are needed altogether to solve a triangular system? [Hint: visualize the operations on the augmented array. What does step  $i$  cost?]
-  If  $n$  is large and the  $n \times n$  system is solved in 2 seconds, how long would it take you to solve a new system of size  $(2n) \times (2n)$ ?