

CSci 5271
Introduction to Computer Security
Malware and anonymity combined lecture

Stephen McCamant
University of Minnesota, Computer Science & Engineering

Outline

Malware and the network, cont'd
Denial of service and the network
Announcements intermission
Anonymous communications techniques
Tor basics
Tor experiences and challenges

Malware/anti-virus arms race

- "Anti-virus" (AV) systems are really general anti-malware
- Clear need, but hard to do well
- No clear distinction between benign and malicious
- Endless possibilities for deception

Signature-based AV

- Similar idea to signature-based IDS
- Would work well if malware were static
- In reality:
 - Large, changing database
 - Frequent updated from analysts
 - Not just software, a subscription
 - Malware stays enough ahead to survive

Emulation and AV

- Simple idea: run sample, see if it does something evil
- Obvious limitation: how long do you wait?
- Simple version can be applied online
- More sophisticated emulators/VMs used in backend analysis

Polymorphism

- Attacker makes many variants of starting malware
- Different code sequences, same behavior
- One estimate: 30 million samples observed in 2012
- But could create more if needed

Packing

- ▣ Sounds like compression, but real goal is obfuscation
- ▣ Static code creates real code on the fly
- ▣ Or, obfuscated bytecode interpreter
- ▣ Outsourced to independent "protection" tools

Fake anti-virus

- ▣ Major monetization strategy recently
- ▣ Your system is infected, pay \$19.95 for cleanup tool
- ▣ For user, not fundamentally distinguishable from real AV

Outline

Malware and the network, cont'd

Denial of service and the network

Announcements intermission

Anonymous communications techniques

Tor basics

Tor experiences and challenges

DoS versus other vulnerabilities

- ▣ Effect: normal operations merely become impossible
- ▣ Software example: crash as opposed to code injection
- ▣ Less power than complete compromise, but practical severity can vary widely
 - Airplane control DoS, etc.

When is it DoS?

- ▣ Very common for users to affect others' performance
- ▣ Focus is on unexpected and unintended effects
- ▣ Unexpected channel or magnitude

Algorithmic complexity attacks

- ▣ Can an adversary make your algorithm have worst-case behavior?
- ▣ $O(n^2)$ quicksort
- ▣ Hash table with all entries in one bucket
- ▣ Exponential backtracking in regex matching

XML entity expansion

- XML entities (c.f. HTML `<t`) are like C macros

```
#define B (A+A+A+A+A)
#define C (B+B+B+B+B)
#define D (C+C+C+C+C)
#define E (D+D+D+D+D)
#define F (E+E+E+E+E)
```

Compression DoS

- Some formats allow very high compression ratios
 - Simple attack: compress very large input
- More powerful: nested archives
- Also possible: "zip file quine" decompresses to itself

DoS against network services

- Common example: keep legitimate users from viewing a web site
- Easy case: pre-forked server supports 100 simultaneous connections
- Fill them with very very slow downloads

Tiny bit of queueing theory

- Mathematical theory of waiting in line
- Simple case: random arrival, sequential fixed-time service
 - M/D/1
- If arrival rate \geq service rate, expected queue length grows without bound

SYN flooding

- SYN is first of three packets to set up new connection
- Traditional implementation allocates space for control data
- However much you allow, attacker fills with unfinished connections
- Early limits were very low (10-100)

SYN cookies

- Change server behavior to stateless approach
- Embed small amount of needed information in fields that will be echoed in third packet
 - MAC-like construction
- Other disadvantages, so usual implementations used only under attack

DoS against network links

- Try to use all available bandwidth, crowd out real traffic
- Brute force but still potentially effective
- Baseline attacker power measured by packet sending rate

Traffic multipliers

- Third party networks (not attacker or victim)
- One input packet causes n output packets
- Commonly, victim's address is forged source, multiply replies
- Misuse of debugging features

"Smurf" broadcast ping

- ICMP echo request with forged source
- Sent to a network broadcast address
- Every recipient sends reply
- Now mostly fixed by disabling this feature

Distributed DoS

- Many attacker machines, one victim
- Easy if you own a botnet
- Impractical to stop bots one-by-one
- May prefer legitimate-looking traffic over weird attacks
 - Main consideration is difficulty to filter

Outline

Malware and the network, cont'd

Denial of service and the network

Announcements intermission

Anonymous communications techniques

Tor basics

Tor experiences and challenges

Upcoming deadlines

- Project meetings mostly this week
- Final progress reports due Friday
 - Includes formatting sample
- Exercise set 5 due next Wednesday
 - Available now
- Project presentations 4/25 and 5/2

Outline

Malware and the network, cont'd
Denial of service and the network
Announcements intermission
Anonymous communications techniques
Tor basics
Tor experiences and challenges

Traffic analysis

- What can you learn from encrypted data? A lot
- Content size, timing
- Who's talking to who
 - countermeasure: anonymity

Nymity slider (Goldberg)

- Verinymity
 - Social security number
- Persistent pseudonymity
 - Pen name ("George Eliot"), "moot"
- Linkable anonymity
 - Frequent-shopper card
- Unlinkable anonymity
 - (Idealized) cash payments

Nymity ratchet?

- It's easy to add names on top of an anonymous protocol
- The opposite direction is harder
- But, we're stuck with the Internet as is
- So, add anonymity to conceal underlying identities

Steganography

- One approach: hide real content within bland-looking cover traffic
- Classic: hide data in least-significant bits of images
- Easy to fool casual inspection, hard if adversary knows the scheme

Dining cryptographers




Photo credits: Nik Heppner • UPRV CE; Bryan Post • personal/home page; Ben Goldberg • Kai Horne; GORANAZI; David Chiu • Henry Smith on Flickr; CC-BY-SA

Dining cryptographers




Photo credits: Neil Hopper • UMN CS; Bryan Ford • personal/home page; Ben Goldberg • Kit Hens; COINLAB; David Chaum • Heng_Chen on Bit-Coins (CC-BY)

Dining cryptographers




Photo credits: Neil Hopper • UMN CS; Bryan Ford • personal/home page; Ben Goldberg • Kit Hens; COINLAB; David Chaum • Heng_Chen on Bit-Coins (CC-BY)

Dining cryptographers




Photo credits: Neil Hopper • UMN CS; Bryan Ford • personal/home page; Ben Goldberg • Kit Hens; COINLAB; David Chaum • Heng_Chen on Bit-Coins (CC-BY)

Dining cryptographers




Photo credits: Neil Hopper • UMN CS; Bryan Ford • personal/home page; Ben Goldberg • Kit Hens; COINLAB; David Chaum • Heng_Chen on Bit-Coins (CC-BY)

DC-net challenges

- Quadratic key setups and message exchanges per round
- Scheduling who talks when
- One traitor can anonymously sabotage
- Improvements subject of ongoing research

Mixing/shuffling

- Computer analogue of shaking a ballot box, etc.
- Reorder encrypted messages by a random permutation
- Building block in larger protocols
- Distributed and verifiable variants possible as well

Anonymous remailers

- Anonymizing intermediaries for email
 - First cuts had single points of failure
- Mix and forward messages after receiving a sufficiently-large batch
- Chain together mixes with multiple layers of encryption
- Fancy systems didn't get critical mass of users

Outline

- Malware and the network, cont'd
- Denial of service and the network
- Announcements intermission
- Anonymous communications techniques
- Tor basics
- Tor experiences and challenges

Tor: an overlay network

- Tor (originally from "the onion router")
 - <https://www.torproject.org/>
- An anonymous network built on top of the non-anonymous Internet
- Designed to support a wide variety of anonymity use cases

Low-latency TCP applications

- Tor works by proxying TCP streams
 - (And DNS lookups)
- Focuses on achieving interactive latency
 - WWW, but potentially also chat, SSH, etc.
 - Anonymity tradeoffs compared to remailers

Tor Onion routing

- Stream from sender to D forwarded via A, B, and C
 - One Tor circuit made of four TCP hops
- Encrypt packets (512-byte "cells") as $E_A(B, E_B(C, E_C(D, P)))$
- TLS-like hybrid encryption with "telescoping" path setup

Client perspective

- Install Tor client running in background
- Configure browser to use Tor as proxy
 - Or complete Tor+Proxy+Browser bundle
- Browse web as normal, but a lot slower
 - Also, sometimes `google.com` is in Swedish

Entry/guard relays

- "Entry node": first relay on path
- Entry knows the client's identity, so particularly sensitive
 - Many attacks possible if one adversary controls entry and exit
- Choose a small random set of "guards" as only entries to use
 - Rotate slowly or if necessary
- For repeat users, better than random each time

Exit relays

- Forwards traffic to/from non-Tor destination
- Focal point for anti-abuse policies
 - E.g., no exits will forward for port 25 (email sending)
- Can see plaintext traffic, so danger of sniffing, MITM, etc.

Centralized directory

- How to find relays in the first place?
- Straightforward current approach: central directory servers
- Relay information includes bandwidth, exit policies, public keys, etc.
- Replicated, but potential bottleneck for scalability and blocking

Outline

Malware and the network, cont'd

Denial of service and the network

Announcements intermission

Anonymous communications techniques

Tor basics

Tor experiences and challenges

Anonymity loves company

- Diverse user pool needed for anonymity to be meaningful
 - Hypothetical Department of Defense Anonymity Network
- Tor aims to be helpful to a broad range of (sympathetic sounding) potential users

Who (arguably) needs Tor?

- Consumers concerned about web tracking
- Businesses doing research on the competition
- Citizens of countries with Internet censorship
- Reporters protecting their sources
- Law enforcement investigating targets

Tor and the US government

- Onion routing research started with the US Navy
- Academic research still supported by NSF
- Anti-censorship work supported by the State Department
 - Same branch as Voice of America
- But also targeted by the NSA
 - Per Snowden, so far only limited success

Volunteer relays

- Tor relays are run basically by volunteers
 - Most are idealistic
 - A few have been less-ethical researchers, or GCHQ
- Never enough, or enough bandwidth
- P2P-style mandatory participation?
 - Unworkable/undesirable
- Various other kinds of incentives explored

Performance

- Increased latency from long paths
- Bandwidth limited by relays
- Currently 1-2 sec for 50KB, 5-10 sec for 1MB
- Historically worse for many periods
 - Flooding (guessed botnet) fall 2013

Anti-censorship

- As a web proxy, Tor is useful for getting around blocking
- Unless Tor itself is blocked, as it often is
- *Bridges* are special less-public entry points
- Also, protocol obfuscation arms race (currently behind)

Hidden services

- Tor can be used by servers as well as clients
- Identified by cryptographic key, use special rendezvous protocol
- Servers often present easier attack surface

Undesirable users

- P2P filesharing
 - Discouraged by Tor developers, to little effect
- Terrorists
 - At least the NSA thinks so
- Illicit e-commerce
 - "Silk Road" and its successors

Intersection attacks

- Suppose you use Tor to update a pseudonymous blog, reveal you live in Minneapolis
- Comcast can tell who in the city was sending to Tor at the moment you post an entry
 - Anonymity set of 1000 → reasonable protection
- But if you keep posting, adversary can keep narrowing down the set

Exit sniffing

- Easy mistake to make: log in to an HTTP web site over Tor
- A malicious exit node could now steal your password
- Another reason to always use HTTPS for logins

Browser bundle JS attack

- Tor's Browser Bundle disables many features try to stop tracking
- But, JavaScript defaults to on
 - Usability for non-expert users
 - Fingerprinting via NoScript settings
- Was incompatible with Firefox auto-updating
- Many Tor users de-anonymized in August 2013 by JS vulnerability patched in June

Traffic confirmation attacks

- If the same entity controls both guard and exit on a circuit, many attacks can link the two connections
 - "Traffic confirmation attack"
 - Can't directly compare payload data, since it is encrypted
- Standard approach: insert and observe delays
- Protocol bug until recently: covert channel in hidden service lookup

Hidden service traffic conf.

- Bug allowed signal to guard when user looked up a hidden service
 - Non-statistical traffic confirmation
- For 5 months in 2014, 115 guard nodes (about 6%) participated in this attack
 - Apparently researchers at CMU's SEI/CERT
- Beyond "research," they also gave/sold info. to the FBI
 - Apparently used in Silk Road 2.0 prosecution, etc.