

• CSCI 8314 • Spring 2019 •  
SPARSE MATRIX COMPUTATIONS

**Class time** : Mo & We 09:45 – 11:00am

**Room** : Akerman 227

**Instructor** : Yousef Saad

**URL** : [www-users.cselabs.umn.edu/classes/Spring-2019/csci8314/](http://www-users.cselabs.umn.edu/classes/Spring-2019/csci8314/)

*About this class: Objectives*

**Set 1** An introduction to sparse matrices and sparse matrix computations.

- Sparse matrices;
- Sparse matrix direct methods ;
- Graph theory viewpoint; graph theory methods;

**Set 2** Iterative methods and eigenvalue problems

- Iterative methods for linear systems
- Algorithms for sparse eigenvalue problems and the SVD
- Possibly: nonlinear equations

1-1

– start8314

**Set 3** Applications of sparse matrix techniques

- Applications of graphs; Graph Laplaceans; Networks ...;
- Standard Applications (PDEs, ..)
- Applications in machine learning
- Data-related applications
- Other instances of sparse matrix techniques

*Logistics:*

➤ We will use Canvas only to post grades

➤ Main class web-site is :

[www-users.cselabs.umn.edu/classes/Spring-2019/  
csci8314/](http://www-users.cselabs.umn.edu/classes/Spring-2019/csci8314/)

➤ There you will find :

- Lecture notes
- Schedule of assignments/ tests
- Announcements for class,
- On occasion: Exercises [do before indicated class]
- .. and more

1-2

– start8314

1-3

– start8314

### About lecture notes:

- Lecture notes (like this first set) will be posted on the class website – usually before the lecture. [if I am late do not hesitate to send me e-mail]
- Note: format used in lectures may be formatted differently – but same contents.
- Review them to get some understanding if possible before class.
- Read the relevant section (s) in the texts or references provided
- Lecture note sets are grouped by topics (sections in the textbook) rather than by lecture.
- In the notes the symbol  indicates suggested easy exercises or questions – often [not always] done in class.

1-4

– start8314

### Occasional in-class practice exercises

- Posted in advance – see HWs web-page
- Do them before class. No need to turn in anything.

1-5

– start8314

### Matlab

- We will often use matlab for testing algorithms.
- Other documents will be posted in the matlab web-site.
- Most important:
- .. I post the matlab **diaries** used for the demos (if any).

1-6

– start8314

## CSCI 8314: SPARSE MATRIX COMPUTATIONS

### GENERAL INTRODUCTION

---

- General introduction - a little history
- Motivation
- Resources
- What will this course cover

## *What this course is about*

- Solving linear systems and (to a lesser extent) eigenvalue problems with matrices that are sparse.
- Sparse matrices : matrices with mostly zero entries [details later]
- Many applications of sparse matrices...
- ... and we are seeing more with new applications everywhere

## **A brief history**

Sparse matrices have been identified as important early on – origins of terminology is quite old. Gauss defined the first method for such systems in 1823. Varga used explicitly the term 'sparse' in his 1962 book on iterative methods.

<https://www-users.cs.umn.edu/~saad/PDF/icerm2018.pdf>

- Special techniques used for sparse problems coming from Partial Differential Equations
- One has to wait until to the 1960s to see the birth of the general technology available today
- Graphs introduced as tools for sparse Gaussian elimination in 1961 [Seymour Parter]

- Early work on reordering for banded systems, envelope methods
- Various reordering techniques for general sparse matrices introduced.
- Minimal degree ordering [Markowitz - 1957] ...
- ... later used in Harwell MA28 code [Duff] - released in 1977.
- Tinney-Walker Minimal degree ordering for power systems [1967]
- Nested Dissection [A. George, 1973]
- SPARSPAK [commercial code, Univ. Waterloo]
- Elimination trees, symbolic factorization, ...

## *History: development of iterative methods*

- 1950s up to 1970s : focus on "relaxation" methods
- Development of 'modern' iterative methods took off in the mid-70s. but...
- ... The main ingredients were in place earlier [late 40s, early 50s: Lanczos; Arnoldi ; Hestenes (a local!) and Stiefel; ...]
- The next big advance was the push of 'preconditioning': in effect a way of combining iterative and (approximate) direct methods – [Meijerink and Van der Vorst, 1977]

## History: eigenvalue problems

- Another parallel branch was followed in sparse techniques for large eigenvalue problems.
- A big problem in 1950s and 1960s : flutter of airplane wings.. This leads to a large (sparse) eigenvalue problem
- Overlap between methods for linear systems and eigenvalue problems [Lanczos, Arnoldi]

## Resources

[See the “links” page in the course web-site]

- Matrix market

<http://math.nist.gov/MatrixMarket/>

- SuiteSparse site (Formerly : Florida collection)

<http://faculty.cse.tamu.edu/davis/suitesparse.html>

- SPARSKIT, etc.

<http://www.cs.umn.edu/~saad/software>

## Resources – continued

**Books:** on sparse direct methods.

- Book by Tim Davis [SIAM, 2006] see syllabus for info
- Best reference [old, out-of print, but still the best]:
  - Alan George and Joseph W-H Liu, *Computer Solution of Large Sparse Positive Definite Systems*, Prentice-Hall, 1981. Englewood Cliffs, NJ.
- Of interest mostly for references:
  - I. S. Duff and A. M. Erisman and J. K. Reid, *Direct Methods for Sparse Matrices*, Clarendon press, Oxford, 1986.


## Overall plan for the class

- We will begin by sparse matrices in general, their origin, storage, manipulation, etc..
- Graph theory viewpoint
- We will then spend some time on sparse direct methods
- .. back to graphs: Graph Laplaceans and applications; Networks; ...
- .. and then on eigenvalue problems and
- ... iterative methods for linear systems
- ... Plan is still in progress.

## SPARSE MATRICES

- See Chap. 3 of text
- See the “links” page on the class web-site
- See also the various sparse matrix sites.
- Introduction to sparse matrices
- Sparse matrices in matlab –

### What are sparse matrices?



Pattern of a small sparse matrix

1-17

Chap 3 – sparse

- Vague definition: matrix with few nonzero entries
- For all practical purposes: an  $m \times n$  matrix is sparse if it has  $O(\min(m, n))$  nonzero entries.
- This means roughly a constant number of nonzero entries per row and column -
- This definition excludes a large class of matrices that have  $O(\log(n))$  nonzero entries per row.
- Other definitions use a slow growth of nonzero entries with respect to  $n$  or  $m$ .

“..matrices that allow special techniques to take advantage of the large number of zero elements.” (J. Wilkinson)

#### A few applications which lead to sparse matrices:

Structural Engineering, Computational Fluid Dynamics, Reservoir simulation, Electrical Networks, optimization, Google Page rank, information retrieval (LSI), circuit simulation, device simulation, .....

## Goal of Sparse Matrix Techniques


- To perform standard matrix computations economically i.e., without storing the zeros of the matrix.

**Example:** To add two square dense matrices of size  $n$  requires  $O(n^2)$  operations. To add two sparse matrices  $A$  and  $B$  requires  $O(nnz(A) + nnz(B))$  where  $nnz(X) =$  number of nonzero elements of a matrix  $X$ .


- For typical Finite Element /Finite difference matrices, number of nonzero elements is  $O(n)$ .

**Remark:**  $A^{-1}$  is usually dense, but  $L$  and  $U$  in the LU factorization may be reasonably sparse (if a good technique is used)


## Nonzero patterns of a few sparse matrices




ARC130: Unsymmetric matrix from laser problem. a.r.curtis, oct 1974



SHERMAN5: fully implicit black oil simulator 16 by 23 by 3 grid, 3 unk



PORES3: Unsymmetric MATRIX FROM PORES




BP\_1000: UNSYMMETRIC BASIS FROM LP PROBLEM BP

## Types of sparse matrices

- Two types of matrices: structured (e.g. Sherman5) and unstructured (e.g. BP\_1000)
- The matrices PORES3 and SHERMAN5 are from Oil Reservoir Simulation. Often: 3 unknowns per mesh point (Oil, Water saturations, Pressure). Structured matrices.
- 40 years ago reservoir simulators used rectangular grids.
- Modern simulators: Finer, more complex physics ➤ harder and larger systems. Also: unstructured matrices
- A naive but representative challenge problem:  $100 \times 100 \times 100$  grid + about 10 unknowns per grid point ➤  $N \approx 10^7$ , and  $nnz \approx 7 \times 10^8$ .

## Solving sparse linear systems: existing methods



1-24

Chap 3 – sparse

Two types of methods for general systems:

- Direct methods : based on sparse Gaussian elimination, sparse Cholesky,..
- Iterative methods: compute a sequence of iterates which converge to the solution - preconditioned Krylov methods..

### Remark:

These two classes of methods have always been in competition.

- 40 years ago solving a system with  $n = 10,000$  was a challenge
- Now you can solve this in a fraction of a second on a laptop.

1-25

Chap 3 – sparse

- Sparse direct methods made huge gains in efficiency. As a result they are very competitive for 2-D problems.
- 3-D problems lead to more challenging systems [inherent to the underlying graph]

### Difficulty:

- No robust 'black-box' iterative solvers.
- At issue: Robustness in conflict with efficiency.
- Iterative methods are starting to use some of the tools of direct solvers to gain 'robustness'

1-26

Chap 3 – sparse

### Consensus:

1. Direct solvers are often preferred for two-dimensional problems (robust and not too expensive).
2. Direct methods loose ground to iterative techniques for three-dimensional problems, and problems with a large degree of freedom per grid point,

1-27

Chap 3 – sparse

## Sparse matrices in matlab

- Matlab supports sparse matrices to some extent.
- Can define sparse objects by conversion

```
A = sparse(X) ; X = full(A)
```

- Can show pattern

```
spy(X)
```

- Define the analogues of ones, eye:

```
speye(n,m), spones(pattern)
```

- A few reorderings functions provided.. [will be studied in detail later]

```
symrcm, symamd, colamd, colperm
```

- Random sparse matrix generator:

```
sprand(S) or sprand(m,n, density)
```

(also `texttsprandn(...)` )

- Diagonal extractor-generator utility:

```
spdiags(A) , spdiags(B,d,m,n)
```

- Other important functions:

```
spalloc(..) , find(..)
```

## Graph Representations of Sparse Matrices

- Graph theory is a fundamental tool in sparse matrix techniques.

**DEFINITION.** A graph  $G$  is defined as a pair of sets  $G = (V, E)$  with  $E \subset V \times V$ . So  $G$  represents a binary relation. The graph is **undirected** if the binary relation is reflexive. It is **directed** otherwise.  $V$  is the vertex set and  $E$  is the edge set.

**Example:** Given the numbers 5, 3, 9, 15, 16, show the two graphs representing the relations

R1: Either  $x < y$  or  $y$  divides  $x$ .

R2:  $x$  and  $y$  are congruent modulo 3. [  $\text{mod}(x,3) = \text{mod}(y,3)$  ]

- **Adjacency Graph**  $G = (V, E)$  of an  $n \times n$  matrix  $A$  :



- Vertices  $V = \{1, 2, \dots, n\}$ .
- Edges  $E = \{(i, j) | a_{ij} \neq 0\}$ .

- Often self-loops  $(i, i)$  are not represented [because they are always there]



- Graph is **undirected** if the matrix has a symmetric structure:

$$a_{ij} \neq 0 \text{ iff } a_{ji} \neq 0.$$

**Example:** (directed graph)



**Example:** (undirected graph)



Adjacency graph of:

$$A = \begin{bmatrix} * & * & & * \\ * & * & * & \\ & * & * & \\ * & & * & * & * \\ & * & & * & * \end{bmatrix}.$$

Graph of a tridiagonal matrix? Of a dense matrix?

Recall what a star graph is. Show a matrix whose graph is a star graph. Consider two situations: Case when center node is labeled first and case when it is labeled last.

- Note: Matlab now has a `graph` function.
- `G = graph(A)` creates adjacency graph from `A`
- `G` is a matlab class/
- `G.Nodes` will show the vertices of `G`
- `G.Edges` will show its edges.
- `plot(G)` will show a representation of the graph

Do the following:

- Load the matrix 'Bmat.mat' located in the class web-site (see 'matlab' folder)
- Visualize pattern (`spy(B)`) + `find`: Number of nonzero elements, size, ...
- Generate graph - without self-edges:

```
G = graph(B, 'OmitSelfLoops')
```

- Plot the graph –
- \$1M question: Any idea on how this plot is generated?