

C++ Basics



**I'M SORRY,
YOU'RE BASIC.**

A black and white line drawing of a woman's head and shoulders. She has short, wavy hair and is smiling slightly. She is holding a clear glass filled with water in her right hand. The drawing is done in a classic, detailed style with cross-hatching for shading.

Announcements

Lab 1 this week!

Homework will be posted Friday

Types of errors

Syntax error - code will not compile

e.g. `cout("hi");`

Runtime error - code crashes after starting

e.g. (0 input to `runTimeError.cpp`)

Logic error - code runs but doesn't return the correct answer

(see: `logicError.cpp`)

Syntax

Syntax is a fancy word for the “grammar” of programming languages

The basic English syntax is:

(subject) (verb) (noun)

“I eat bananas” not “Bananas I eat”

The computer is **VERY** picky (and stubborn) about grammar, and will not understand you unless you are absolutely correct!

Comments

Comments are ignored pieces of code
(computer will pretend they do not exist)

// denotes a single line that is commented
// (everything before hitting enter)

/* denotes the beginning of a comment
and the end of a comment is denoted by */

Avoid errors

To remove your program of bugs, you should try to test your program on a wide range of inputs

Typically it is useful to start with a small piece of code that works and build up rather than trying to program everything and then debug for hours

Variables

Variables are objects in program

To use variables two things must be done:

- Declaration (make the box)
- Initialization (put value in the box)

See: uninitialized.cpp

Example if you forget to initialize:

I am 0 inches tall.

I am -1094369310 inches tall.

Variables

```
int x, y, z; ← Declaration  
x = 2;      }  
y = 3;      } Initialization  
z = 4;      }
```

Same as:

```
int x=2, y=3, z=4;
```

Variables can be declared anywhere
(preferably at start)

Assignment operator

= is the assignment operator

The object to the right of the equals sign is stored into the object in the left

```
int x, y;
```

```
y = 2;
```

```
x = y+2;
```

See: `assignmentOp.cpp`


Assignment operator

= is NOT a mathematic equals

```
x=3;
```

```
x=4; // computer is happy!
```

This does not mean $3=4$



Assignment operator

To the left of = needs to be a valid object that can store the type of data on the right

```
int x;
```

```
x=2.6; // unhappy, 2.6 is not an integer
```

```
x+2 = 6; // x+2 not an object
```

```
2 = x; // 2 is a constant, cannot store x
```

Assignment operator

What does this code do?

```
int x = 2, y = 3;  
y=x;  
x=y;
```

What was the intention of this code?

Increment operators

What does this code do?

```
int x = 2;
```

```
x=x+1;
```

Increment operators

What does this code do?

```
int x = 2;  
x=x+1;
```

Same as:

```
x+=1;
```

or

```
x++;
```

Increment operators

Two types of increment operators:

`x++;` // increments after command

VS

`++x;` // increments before command

Complex assignments

The following format is general for common operations:


variable (operator)= expression

variable = variable (operator) expression

Examples:

$x += 2$

$x *= y + 2$



$x = x + 2$

$x = x * (y + 2)$

Order of operations

Order of precedence (higher operations first):

-, +, ++, -- and ! (unary operators)

*, / and % (binary operators)


+ and - (binary operators)

% is remainder operator, which you might not have used much but is awesome!

Order of operations

If you are dealing with whole numbers,
% can tell you how many “items” do not
divide equally

$$7 \% 2 = 1$$



Order of operations

Binary operators need two arguments

Examples:

$2+3$, $5/2$ and $6\%2$

Unary operators require only one argument:

Examples: (see `binaryVsUnaryOps.cpp`)

$+x$, $x++$, $!x$

($!$ is the logical inversion operator for `bool`)

Order of operations

When multiple operations have the same precedence level:

Binary operations go from left to right

$$7 + 3 + 4$$

Unary operations go right to left

- -7 (double negative)

Identifiers

HELLO

my name is

*Inigo Montoya
You killed my Father
Prepare to die*

Identifiers

An identifier is the name of a variable (or object, class, method, etc.)

`int sum;`


type

identifier

- Case sensitive
- Must use only letters, numbers or _
- Cannot start with a number
- (Some reserved identifiers, like main)

Identifiers

Already did this in week 1!
See: RuntimeError.cpp



```
1 #include <iostream>
2 using namespace std;
3
4 int main()
5 {
6     int number;
7
8     cout << "What is your lucky number?" << endl;
9     cin >> number;
10    cout << "I like " << 10/number << "!\\n";
11
12    return 0;
13 }
14
```

Identifiers

Which identifiers are valid?

1) james parker

2) BoByBoY

3) x3

4) 3x

5) x_____

6) _____x

7) Home.Class

8) Five%

9) x-1

Identifiers

Which identifiers are valid?

~~1) james parker~~

2) BoByBoY

3) x3

~~4) 3x~~

5) x_____

6) _____x

~~7) Home.Class~~

~~8) Five%~~

~~9) x 1~~

Identifiers

(See: float.cpp)

```
7 int main()
8 {
9     float Float, fLoat, fl0at, FLOAt, FLOAT;
10    Float = 1;
11    fLoat = 2;
12    fl0at = -3;
13    FLOAT = 2;
14    FLOAt = 4;
15    cout << (-fLoat + floAT(fLoat*fLoat - FLOAt * Float * fl0at))/(FLOAT*Fl
16    cout << (-fLoat - floAT(fLoat*fLoat - FLOAt * Float * fl0at))/(FLOAT*Fl
17
18    return 0;
19 }
```

Identifiers

