

CSci 2021: Review Lecture 2

Stephen McCamant

University of Minnesota, Computer Science & Engineering

Midterm 2 topics (in one slide)

- Machine-level code representation
 - Instructions, operands, flags
 - Branches, conditions, and loops
 - Procedures and calling conventions
 - Arrays, structs, unions
 - Buffer overflow attacks
- CPU architecture
 - Y86 instructions
 - Control logic and HCL
 - Sequential Y86-64
 - Pipelined Y86-64

Outline

Topics in machine code

Announcements break

Topics in CPU architecture

Review questions

Instructions and operands

- Assembly language ↔ machine code
- Sequence of instructions, encoded in bytes
- An instruction reads from or writes to operands
 - x86: usually at most one memory operand
 - AT&T: destination is last operand
 - AT&T shows operand size with b/w/l/q suffix

Addressing modes

- General form: `disp(base,index,scale)`
 - Displacement is any constant, scale is 1, 2, 4 or 8
 - Base and index are registers
 - Formula: `mem[disp + base + index · scale]`
- All but base are optional
 - Missing displacement or index: 0
 - Missing scale: 1
 - Drop trailing (but not leading) commas
- Do same computation, just put address in register: `lea`

Flags and branches

- Flags (aka condition codes) are set based on results of arithmetic
 - ZF: result is zero
 - SF: result is negative (highest bit set)
 - OF: signed overflow occurred
 - CF: unsigned overflow ("carry") occurred
- Used for condition in:
 - `setCC`: store 1 or 0
 - `cmovCC`: copy or don't copy
 - `jCC`: jump or don't jump
- Just for setting flags: `cmp` (like `sub`), `test` (like `and`)

Loops

- Simplest structure: conditional jump “at the bottom”, like a C do-while
- C while also checks at beginning
- C for e.g. initializes a variable and updates it on each iteration
- Assembly most like C with goto

Stack and frames

- “The” stack is used for data with a function lifetime
- %rsp points at the most recent in-use element (“top”)
- Convenient instructions: push and pop
- Section for one run of a function: stack frame

Calling conventions

- Function arguments go in %rdi, %rsi, %rdx, %rcx, %r8, and %r9
- Return value is in %rax
- Handle that both caller and callee want to use registers
- Caller-saved: callee might modify, caller must save if using
 - %rax, %rdi, ..., %r10, %r11, flags
- Callee-saved: caller might be using, callee must save before using
 - %rbx, %r12, ..., %rbp, (%rsp)

Arrays

- Sequence of values of same size and type, next to each other
- Numbered starting from 0 in C
- To find location: start with base, add index times size
- C’s pointer arithmetic is basically the same operation
- Multi-dimensional array
 - Needs more multiplying
- Array of pointers to arrays
 - Different, more flexible layout
 - Each access needs more loads

Structs and unions

- Struct groups objects of different types and sizes, in order
- Fields often accessed using displacement from a pointer
- Alignment requirements → padding
 - Primitive values aligned to their size
 - Pad between elements, when next needs more alignment
 - Pad at end, to round off total size
- Unions: “like structs where every offset is 0”
 - Used to save space if only one needed at a time
 - Can also reveal storage details

Buffer overflows

- Local arrays stored on the stack
- C compilers usually do not check limits of array accesses
- Too much buffer data can overwrite a return address
 - Changes what code will execute
 - Various nefarious uses
- Various partial defenses:
 - Randomize stack location
 - Non-executable stack
 - Stack canary checking

Outline

Topics in machine code

Announcements break

Topics in CPU architecture

Review questions

Online midterm: hardware

- You should be virtually present on Zoom while doing the test on Canvas
- First choice: a computer with a webcam
- Second choice: a computer, and the Zoom app running on a smartphone
- If you won't be able to do either of these, please contact me in advance

Online midterm: rules

- You need to take the midterm live, starting at 3:35pm.
 - The midterm ends at 4:25pm, even if you started late
- Still paper resources only
 - Open (paper) book, open (paper) notes, printouts
 - No electronics, calculators, communicating with other students
- If possible, stay at your computer for the whole exam
 - Check with the TA if you need to get up
- If you finish early, check with the TA after submitting but before leaving Zoom

Outline

Topics in machine code

Announcements break

Topics in CPU architecture

Review questions

Y86-64 instructions

- Simplified subset of x86-64, simpler encoding
- 64-bit only, 15 registers
- Four kinds of moves, only one addressing mode
- Add, subtract, bitwise and, bitwise xor
- Conditional jump and move based on equality and signed comparison
- Call, return, push, pop
- Halt and two fatal errors, no exceptions

Logic design for control

- Combinational circuits:
 - Compute a function of bits, no memory
 - Acyclic network of AND, OR, and NOT gates
 - Also includes word-sized comparison, multiplexors, and ALU
- Stateful elements:
 - (Clocked) registers
 - Random-access memory
 - State updates occur on rising clock edge only

Hardware design in HCL

- Simple language for specifying control circuits
- Two types: Boolean and word
- Comparison and logic operators (no side-effects or "short circuiting")
- Core construct: sequential conditional
 - $[C_1 : V_1; C_2 : V_2; \dots; 1 : V_n]$
 - "Else" case written 1

Sequential Y86-64

- Whole state update function is one big combinational circuit
- Express behavior of each instruction using smaller computations
- Processing split into stages for organization:
 - Fetch, decode, execute, memory, write back, PC update
- Simplest, but requires long cycle time (slow)

Pipelining basics

- Split processing into stages, and work on multiple instructions at once
- Reduces cycle time and increases hardware utilization
- Pipeline registers hold data between stages
- Performance concerns: balanced stages, and not too many
- Correctness concerns: must have same final behavior

Pipelining techniques

- Hazards*: dependencies introduce danger of incorrect results
- Branch prediction: guesses result of conditional jumps
- Stalling: hold up instructions until data ready
 - Simple, but introduces a lot of delay
 - Used for return instruction in Y86-64
- Cancelling: kill incorrect instructions
 - Must happen before they have side-effects
 - Used for branch mis-predictions
- Forwarding: copy data to a different stage right as needed

Outline

Topics in machine code

Announcements break

Topics in CPU architecture

Review questions

Calling conventions

According to the standard x86-64 calling convention, which of these registers would your function need to save before modifying it?

- A. %rdi
- B. %rsi
- C. %r10
- D. %rbx
- E. %rax

x86-64 instructions

Which two instructions can be used to compare %rax to zero?

- A. `cmp $0, %rax` and `test $0, %rax`
- B. `cmp $0, %rax` and `test %rax, %rax`
- C. `cmp %rax, %rax` and `test $0, %rax`
- D. `cmp %rax, %rax` and `test %rax, %rax`

for loops

Which of these while loop patterns is equivalent to the loop `for (A; B; C) { D; }`?

- A. `A; while (B && C) { D; }`
- B. `B; while (A) {D; C}`
- C. `A; while (B) {C; D}`
- D. `A; while (B) {C; D; C}`
- E. `A; while (B) {D; C}`

Structure padding

Because of padding, which of these structs would not be the same size as the others?

- A. `struct { short s; long l; }`
- B. `struct { float f; double d; }`
- C. `struct { char c; long l; }`
- D. `struct { long l1; long l2; }`
- E. `struct { int i1; int i2; }`

Y86-64 instructions

Which of these Y86-64 instructions is an indirect jump?

- A. `call`
- B. `ret`
- C. `jmp`
- D. `jle`
- E. `jne`